## WHAT IS CLAIMED IS:

- 1 1. A mobile terminal, comprising:
- a multiple PIM functionality module enabling the
- 3 mobile terminal to synchronize with multiple remote servers
- 4 and provide multiple groups of data with respect to a PIM
- 5 application; and

transceiver circuitry for communicating with the multiple remote servers through a network;

- 1 2. The mobile terminal of Claim 1, wherein the multiple
- 2 PIM functionality module includes a plurality of versions of
- 3 a PIM application, each of the plurality of versions of the
- 4 PIM application able to synchronize with one of the multiple
- 5 remote servers.
- 1 3. The mobile terminal of Claim 2, wherein each of the
- 2 plurality of versions of the PIM application includes separate
- 3 synchronization data to enable synchronization with the
- 4 multiple remote servers.

- 1 4. The mobile terminal of Claim 1, wherein the multiple
- 2 PIM functionality module provides for a separate display
- 3 format of data from each of the multiple remote servers.
- The mobile terminal of Claim 4, wherein the separate
- 2 display format is user selectable.
- 1 6. The mobile terminal of Claim 1, wherein the multiple
- 2 PIM functionality module provides for a unified display of
- 3 data from each of the multiple remote servers.
- 7. The mobile terminal of Claim 1, wherein the multiple
- 2 PIM functionality displays a calendar containing the multiple
- 3 groups of data.
- 1 8. The mobile terminal of Claim 7, wherein the multiple
- 2 groups of data may be displayed in bolded or non-bolded format
- 3 depending on a relevance of the data.

- 1 9. The mobile terminal of Claim 7, wherein the multiple
- 2 PIM functionality enables selectable configuration of the
- 3 calendar.
- 1 10. The mobile terminal of Claim 1, wherein the multiple
- 2 PIM functionality module further enables the mobile terminal
- B to synchronize with a second mobile terminal.

- 4 11. A mobile terminal, comprising:
- a multiple PIM functionality module including a
- 6 plurality of versions of a PIM application, each version of
- 7 the PIM application able to synchronize with one of a
- 8 plurality of remote servers using synchronization data
- 9 contained therein; and
- 10 transceiver circuitry for communicating with the
- 11 plurality of remote servers through a wireless network.
- 1 12. The mobile terminal of Claim 11, wherein the
- 2 multiple PIM functionality module provides for a separate
- 3 display format of data from each of the multiple remote
- 4 servers.
- 1 13. The mobile terminal of Claim 12, wherein the
- 2 separate display format is user selectable.
- 1 14. The mobile terminal of Claim 11, wherein the
- 2 multiple PIM functionality module provides for a unified
- 3 display of data from each of the multiple remote servers.

- 1 15. The mobile terminal of Claim 11, wherein at least
- 2 one version of the PIM application enables synchronization
- 3 with a second mobile terminal.

- 1 16. A method of synchronizing a mobile terminal with a
- 2 plurality of remote servers, comprising the steps of:
- 3 obtaining synchronization between a first portion of
- 4 a PIM functionality and a first remote server to display data
- 5 from the first remote server;
- 6 obtaining synchronization between a second portion
- 7 of the PIM functionality and a second remote server to display
- 8 data from the second remote server; and
- 9 displaying the data from the first and second remote
- 10 servers on at least one display associated with the mobile
- 11 terminal.
  - 1 17. The method of Claim 16, wherein the step of
  - 2 displaying comprises the step of selectively displaying data
  - 3 from either the first remote server or the second remote
  - 4 server responsive to user input.

1 18. The method of Claim 16, wherein the step of

->

- 2 displaying further comprises the step of displaying the data
- 3 from the first and the second remote servers in a unified
- 4 display.
- 1 19. The method of Claim 16, wherein the step of
- 2 displaying further comprises the step of displaying the data
- 3 in a calendar.
- 1 20. The method of Claim 19, wherein the step of
- 2 displaying the data further comprises the step of displaying
- 3 the data in a bold format and a non-bolded format depending on
- 4 a type of the data.
- 1 21. The method of Claim 16, wherein the step of
- 2 displaying the data further comprises the step of displaying
- 3 the data in the calendar in accordance with a selectable
- 4 configuration of the calendar.

- 1 22. A mobile terminal comprising:
- a multiple PIM functionality module enabling the
- 3 mobile terminal to synchronize with multiple remote servers
- 4 and display multiple groups of data from the multiple remote
- 5 servers in a calendar; and
- 6 communication circuitry for communicating with the
- 7 multiple remote servers.
- 1 23. The mobile terminal of Claim 22, wherein the
- 2 multiple groups of data may be displayed in bolded or non-
- 3 bolded format depending on a relevance of the data.
- 1 24. The mobile terminal of Claim 22, wherein the
- 2 multiple PIM functionality enables selectable configuration
- 3 of the calendar.

- 1 25. A method of synchronizing a mobile terminal with a
- 2 second mobile terminal, comprising the steps of:
- 3 obtaining synchronization between a first portion of
- 4 a PIM functionality and the second mobile terminal to display
- 5 data from the second mobile terminal; and
- displaying the data from the second mobile terminal
- 7 on at least one display associated with the mobile terminal.
- 1 26. The method of Claim 25, further including the steps
- 2 of:
- 3 obtaining synchronization between a second portion
- 4 of the PIM functionality and a remote server to display data
- 5 from the remote server; and
- displaying the data from the remote server on the at
- 7 least one display associated with the mobile terminal.

- 1 27. The method of Claim 25, further including the steps
- 2 of:
- 3 uploading data from the mobile terminal to the
- 4 second mobile terminal; and
- 5 displaying the data from the mobile terminal at the
- 6 second mobile terminal.